


Golf Master Parts Book



Effective Date: June 1, 2019





Catalog Number	Description
PRELIMINA	ARY
000	Index
001	Introduction & Instructions

ROTORS	
002	Eagle's Nest™ Rotor Adaptors For 47/51DR Series Rotors
003	Eagle™ 351
004	Eagle™ 500 Internal Assembly
005	Eagle™ 550 Internal Assembly
006	Eagle™ 700 Internal Assembly
007	Eagle™ 750 Internal Assembly
008	Eagle™ 900 Internal Assembly
009	Eagle™ 950 Internal Assembly
010	Eagle™ 500 / 550 / 700 / 750 Series
011	Eagle™ 900 / 950 / 1100 / 1150 / 115-E Series
012	Eagle™ 1100 Series Internal Assembly
013	Eagle™ 1150 Series Internal Assembly
014	Rain Bird 700 Internal Assembly
015	Rain Bird 551 / 751 Internal Assembly

MANUAL VALVES					
016	SH-0/SH-0-BSP/SH-1/SH-2/SH-2-BSP/SH-3				
017	One-Piece Quick Coupler Valves 3, 5, And 7 Series				
018	Two-Piece Quick Coupler Valves 33 And 44 Series				

Catalog Number	Description
ELECTRIC	VALVES
019	100PGA / 150PGA / 200PGA Series
020	100/150/200 PE, PESB AND PESB-R Series
021	100EFB-CP / 125EFB-CP / 150EFB-CP / 200EFB-CP Series
022	300 BPE and BPES Series
023	PRS, PRS-2, PRS-B, PRS-D
CONTROL	LERS AND INTERFACES
024	Controller Assembly With Pedestal (PAR+ES)
025	Integrated Control Interface (ICI)
026	Maxi Remote Location Kit
027	The Freedom System™

SWING JOINTS				
028	Standard Swing Joint Assembly			
029	Standard Swing Joint Assembly With Acme Inlet			
030	Triple Top Swing Joint Assembly			
031	Triple Top Swing Joint Assembly With Acme Inlet			

ACCESSORIES AND TOOLS					
032	Adapters				
033	Accessories - Tools				



Rain Bird is committed to providing you with the best parts and after sales service programs in the irrigation industry. This Master Parts Book represents that commitment by supplying you with current information so that you can obtain replacement parts for your Rain Bird products. We hope you will find this book useful as you purchase and use Genuine Rain Bird Parts.

HOW TO USE THE MASTER PARTS BOOK (SEE NEXT PAGE FOR EXAMPLE)

The Master Parts Book was designed to be easy. There is a simple index which allows you to quickly locate the part list you need. Each part list has a simple format. Just follow these quidelines and you should easily find the part you want.

- 1. First look at the picture to identify the part in which you are interested. Note the reference number of that part.
- 2. Look at the headings on the part list matrix and find the product model which you need parts for. Look down the column until you reach the row with the reference number of the part you previously identified. At that intersection is the part number you need.
- 3. If the part number you need IS NOT IN BRACKETS () then the part can be purchased by itself. However, if the part IS IN BRACKETS () then that part is either not sold or it must be purchased in a kit or an assembly.
- 4. A part sold in an assembly will have its description indented under the assembly that is available. A part sold in a kit will have a footnote (usually a letter) beside its description. Look to the bottom of that page or the last page in the list for the kit number.

HOW TO ORDER PARTS (Rain Bird Distributors Only)

Rain Bird distributors can order parts in a number of ways. Orders for parts should be placed by using:

- 1. Self Service at <u>www.rainbird.com/distributor</u> For new Self Service accounts, contact Customer Service.
- 2. Faxing to Customer Service
- 3. Electronic Data Interchange (EDI)

WebsiteCustomer Service TelephoneCustomer Service Faxrainbird.com/golf800-282-1933800-843-4162

HOW PARTS ARE SHIPPED (Rain Bird Distributors Only)


Rain Bird parts are shipped in one of two ways:

- 1. Regular parts orders are shipped like your normal Rain Bird orders with the same processing times and freight policies. They can, however, include both parts and whole goods.
- 2. Quick Parts Service (QPS) orders are special parts only orders that ship quickly to your door. We process them in one day and ship them out in one to two business days depending on your location. Domestic customers receive prepaid freight on orders over \$ 250.00 net. There is NO MINIMUM purchase on QPS parts orders. Most QPS orders are received at your door within 2 to 5 days. We encourage you to use QPS whenever you need quick delivery.


QPS - The Quick Way to Receive Rain Bird Parts!




(THIS PAGE IS AN EXAMPLE ONLY, DO NOT USE FOR REFERENCING PARTS.)



Example 2 – You need the Bearing Guide Assembly for Low Flow on a 751-Block Rotor. As before, find the reference number for the Bearing Guide on the picture (# 10). Next, find the 751B column and go down the list to reference item #10. The part you need is (211263). Since part 211263 is in brackets it is not available by itself, but may be in a kit or assembly. Look at the part's description to see if it is indented below an assembly. In this case the part is not available, please contact Rain Bird Golf for assistance with this item.



Ref.	Part Description	Otv.	(551-E/751-E)55	<u>1-S/H /751-S/H</u>	551B/751B
SNAF	PRINGS				
1	Snap Cover	1	21192101	21192101	21192101
INTE	RNAL ASSEMBLY				
2	Rain Bird Internal Assembly (A) (B)	1	214751xx	214751xx	214651xx
NOZ	ZLE HOUSING AND NOZZLES				
3	Nozzle Housing Screw	2	214754	214754	214754
4	Nozzle plug	1	211593	211593	211593
5	Nozzle Housing Less Nozzle	1	213760	213760	213760
6	Standard Range Nozzle and O-Ring Assembly (C)	1	213750xx	213750xx	213750xx
6	Short Throw Range Nozzle and O-Ring Assembly (D,) 1	213751xx	213751xx	213751xx
7	O-Ring (Cover, Adjust, & Lever)	2	211236	211236	211236
(8)	FC/PC Arm-Lever Assembly	1	214752	214752	214752
9	Arc Adjust Stem	1	210420	210420	210420
BEAR	ING GUIDE / MOTOR ASSEMBLY				
10	Bearing Guide Assembly, Standard	1	211147	_	
10	Bearing Guide Assembly, Low Flow	1	_	(211263)	(211263)
11	Bearing Guide O-ring	1	211242	211242	211242
12	FC-PC Trip Rod	1	214753	214753	214753
13	Rain Bird 751 Riser Motor Assembly	1	21475100	21475100	21475100
14	Stator/Screen Kit	1	21040301	21040301	21040301
15	SAM Screen Kit Block Models	1	211292	211292	211292
19	Pop-up Seal (White)	1	(201399)	(201399)	(201399)




Example 3 – You need new screw for a Two-Piece Quick Coupler Valve 44 Series. Find the reference number for the screw (#17) and look at the matrix to find the part or reference number. Since these references are in brackets look at their descriptions below or reference the image to see if there are any footnotes (usually a letter). If there are footnotes look to the bottom of the matrix to find the kit or notation. In this case the kit (A) is in the matrix and contains the screw.

		33RC 33LRC	33DRC 33DLRC	44RC 44LRC
<u>Ret</u>	Part Description	33NP	33DNP	44NP
VALVE	E ASSEMBLY			
9	Upper body	(200204)	(200204)	(200208)
10	Screw	(200187)	(200187)	(200187)
11	Flange	(200188)	(200188)	200209
12	Cage	(200503)	(200503)	(200210)
13	Spring	(200502)	(200502)	200211
14	Rubber disc (Buna-N)	_	_	(200213)
15	Retainer	_	_	(200214)
16	Washer	_	_	(200215)
(17)	Screw	_	_	(205806)
A	Repair kit	(204146)	(204146)	203747
	(33 series includes 12 and 13)			


(THIS PAGE IS AN EXAMPLE ONLY, DO NOT USE FOR REFERENCING PARTS.)


EAGLE'S NEST™ ROTOR ADAPTORS FOR 47/51DR SERIES ROTORS




Ref.	Part Description	Otv.	Part No.
1	EAGLE'S NEST Rotor Adaptors	1	211579
2	Screw, 3/4" Self Tapping #10 Thd.	3	(211487)
3	Cover, Eagle's Nest	1	(211482)
4	Snap Ring, Eagle's Nest 47/51	1	21113301
5	Adaptor, Eagle's Nest	1	_
6	Seal, U-cup (Red)	1	(211239)










<u>Ref. </u>	Part Description	Otv.	All Models
SNAP	RINGS	-	
1	Snap Cover, Black	1	21192101
1	Snap Cover, Yellow	1	21192102
1	Snap Cover, White	1	21192103
1	Snap Cover, Purple	1	21192104
INTER	RNAL ASSEMBLY		
2	Internal Assembly (Does not include noz	zle)(A)(B) 1	21291101
NOZZ	CLES		
3	Nozzle Kit (C)	1	212913xx
)		•	
	ING ASSEMBLY	•	
		1	211242
BEAR 4	ING ASSEMBLY		211242
BEAR 4	ING ASSEMBLY Bearing Guide O-Ring		211242 212914
BEARI 4 FILTEI	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY	1	
BEARI 4 FILTEI 5	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY	1	
BEARI 4 FILTEI 5 CASE	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY Screen and Check Valve Assy Kit	1	212914
BEARI 4 FILTEI 5 CASE 6	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY Screen and Check Valve Assy Kit Case (NPT)	1 1	212914 (21148901)
BEARI 4 FILTEI 5 CASE 6 6 6	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY Screen and Check Valve Assy Kit Case (NPT) Case (BSP)	1 1 1 1	212914 (21148901) (21148902)
BEARI 4 FILTEI 5 CASE 6 6 6	ING ASSEMBLY Bearing Guide O-Ring R ASSEMBLY Screen and Check Valve Assy Kit Case (NPT) Case (BSP) Case (ACME)	1 1 1 1	212914 (21148901) (21148902)

⁽A) Order nozzle kit if necessary - Part#212913xx

⁽B) For Non-potable applications use Standard Part and Purple Snap Ring - Part

⁽C) Specify Nozzle Kit when Ordering - XX = 02 (Includes 18M, 26M, 30M and 36M Nozzles); 22 (Includes 18S, 22S and 26S Nozzles); 36 (Includes 30S, 36S, and 40 Nozzles); 48 (Includes 44, 48, and 54 Nozzles).







Ref.	Part Description	Otv.	500-E/IC	500-S/H	500B			
SNAF	SNAP RINGS							
1	Snap Cover	1	see chart	see chart	see chart			
2	Rubber Cover Kit	1	(212551)	(212551)	(211355)			
INTE	RNAL ASSEMBLY							
3	Internal Assembly (A)	1	214751XX	211580xx	(B)211580xx			
COVI	ER ASSEMBLY							
4	Self-Tapping Screw	2	210974	210974	210974			
5	Housing Cover	1	(211282)	(211282)	(211282)			
6	Screw O-Ring	2	211236	211236	211236			
NOZ	ZLES							
7	Nozzle Housing - Black (C)	1	21035602	21035602	21035602			
8	Range Nozzle Assembly (A)	1	213500xx	213500xx	213500xx			
9	Retract Seal	1	210354	210354	210354			
15	Stator / Screen Kit	1	21040301	21040301	21040301			
16	Seal-a-Matic [™] Sreen Assy	1	_	_	211292			
BEAR	RING / RISER-MOTOR ASSEMBLY							
10	Nozzle Housing O-Ring	1	210366	210366	210366			
11	Bearing Guide Assy, STD	1	211147	_	_			
11	Bearing Guide Assy, LO-FLOW (D)	1	_	211263	211263			
12	Bearing Guide O-Ring	1	211147	211147	211147			
13	Riser Motor Assembly	1	21470000	21470000	21470000			
14	Pop-up Seal (White)	1	210399	210399	210399			
17	CASE ASSEMBLY See Catalog No. 010							


Ref.	KITS & Accessories	Otv.	P/N
1	Snap-Cover, Black		21192101
1	Snap-Cover, Yellow		21192102
1	Snap-Cover, White		21192103
1	Snap-Cover, Purple (Non-Potable)		21192104
5	Cover, Yardage Marker Blank (Black)	(.	21175201)
-	Sod Cup Kit		#212613

- (A) Specify Nozzle Size when ordering. Available in #51, 52, 53, 54.
- (B) Also reqires Seal-a-Matic [™] Sreen Assy Part # 211292
- (C) For non-potable applications use standard part and purple snap ring, part # 21192104
- (D) The LO-FLOW Bearing Guide #211263 may also be used on the 500 Series Electric rotor
- (E) For smooth case rotors use part # 211602

5	Stator / Poppet Configurations								
(Color	Number	ber Electric Pressure Setting				Hyd,		
				psi (bars)			SAM,		
			60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В		
E	Black	#51	S4	S4	S4	S4	S4		
Е	Beige	#52	S4	S4	S4	S4	S4		
(Gray	#53	S4	S4	S4	S4	S4		
F	Red	#54	S8	S8	S8	S8	S8		


S4 = Stator with 4 Holes S8 = Stator with 8 Holes

Stator with 4 Holes Stator with 8 Holes



¹⁷ CASE ASSEMBLY See Catalog No. 010








Ref.	Part Description	Otv.	550-E/IC	550-S/H	550B
SNAF	PRINGS				
1	Snap Cover	1	21192101	21192101	21192101
2	Rubber Cover Kit	1	(212551)	(212551)	(211355)
INTE	RNAL ASSEMBLY				
3	Internal Assembly (A)	1	214551xx	(B) 214551xx	(B) 214751xx
COVI	ER ASSEMBLY				
4	Self-Tapping Screw	2	210974	210974	210974
5	Housing Cover	1	(211281)	(211281)	(211281)
6	Screw O-ring	2	211236	211236	211236
NOZ.	ZLES				
7	Nozzle Housing-Black (C)	1	21035601	21035601	21035601
8	Range Nozzle Assembly (A)	1	213500xx	213500xx	21500-xx
9	Retract Seal (D)	1	210354	210354	210354
17	Stator / Screen Kit	1	21040301	21040301	21040301
18	Seal-a-Matic [™] Screen Assy	1	_	_	211292
BEAF	RING / RISER-MOTOR ASSEMBLY				
10	Nozzle Housing O-Ring	1	210366	210366	210366
11	Arc Adjustment Stem O-Ring	1	211236	211236	211236
12	Arc Adjustment Stem	1	210420	210420	210420
13	Bearing Guide Assy, STD	1	211147	_	_
13	Bearing Guide Assy, LO-FLOW	1	_	(211263)	(211263)
14	Bearing Guide O-Ring	1	211242	211242	211242
15	Riser Motor Assembly	1	(210535)	(210535)	(210535)
16	Pop-up Seal (White)	1	210399	210399	210399
	CASE ASSEMBLY S. C. I. N.				

Ref.	KITS & Accessories	Otv.	P/N
1	Snap-Cover, Black		21192101
1	Snap-Cover, Yellow		21192102
1	Snap-Cover, White		21192103
1	Snap-Cover, Purple (Non-Potable)	21192104
5	Cover, Yardage Marker Blank (Wh	ite)	(21199603)
	Cover, Yardage Marker Blank (Bla	ck)	(21199601)
Diffu	ser Screw Kit (#52 & 53 only)		(21196452)
-	(Includes modified Range Nozzle)		(21196453)
7	Nozzle Housing, Drilled & Tapped	1	
8	Range Nozzle Assy, Modified	1	
-	Diffuser Screw (not shown)	1	
5	Cover, (Notched)	1	
9	Retract Seal	1	
6	Screw O-Ring	2	
-	Sod Cup Kit		212613

Stator / Poppet Configurations								
Color	Number Electric Pressure Setting							
			psi (bars)					
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В		
Black	#51	S4	S4	S4	S4	S4		
Beige	#52	<i>S4</i>	54	<i>S4</i>	S4	S4		
Gray	#53	<i>S4</i>	54	<i>S4</i>	S4	S4		
Red	#54	<i>S8</i>	S8	<i>S</i> 8	S8	S8		

S4 = Stator with 4 Holes S8 = Stator with 8 Holes

Stator with 4 Holes Stator with 8 Holes



²⁰ CASE ASSEMBLY See Catolog No. 010


Specify Nozzle Size when ordering. Available in #51, 52, 53, 54.

Also requires Seal-a-Matic [™] Screen Assy Part # 211292

⁽C) For non-potable applications use standard part and purple snap ring part # 21192104

Obsolete as of year end 2016.







Ref.	Part Description	Otv.	700-E/IC	700-S/H	700B
SNA	P RINGS				
1	Snap Cover	1	21192101	21192101	21192101
	Rubber Cover Kit	1	(212551)	(212551)	(211355)
INTE	RNAL ASSEMBLY				
3	Internal Assembly (A)(B)(C)	1	(E) 214700xx	(E) 214700xx	(E) 214600xx
COV	ER ASSEMBLY				
4	Self-Tapping Screw	2	210974	210974	210974
5	Housing Cover	1	213710	213710	213710
6	Cover Screw O-Ring	2	211236	211236	211236
NOZ	ZLES				
7	Dual Spreader Nozzle Housing - Black (B)(D)	1	213710	213710	213710
8	Range Nozzle Assembly (A)	1	213700xx	213700xx	213700xx
9A	Mid-Range Spreader Nozzle	1	S	See Diagram Be	low
9B	Close-in Spreader Nozzle	1	S	See Diagram Be	low
10	Retract Seal	1	210354	210354	210354
15	Stator/Screen Kit	1	21040301	21040301	21040301
	-Stator	1	_	_	_
	-Poppet	1	_	_	_
	-Screen	1	_	_	_
16	Seal-a-Matic Screen Assy	1	_	_	211292
BEA	RING / RISER-MOTOR ASSEMBLY				
11	Nozzle Housing O-Ring	1	210366	210366	210366
12	Bearing Guide Assy, STD	1	211147	_	_
12	Bearing Guide Assy, LO-FLOW (E)	1	_	(211263)	(211263)
13	Bearing Guide O-Ring	1	211242	211242	211242
14	Riser Motor Assembly	1	21470000	21470000	21470000
17	Pop-up Seal (White)	1	210399	210399	210399
18	CASE ASSEMBLY See Catolog No. 010				

1	Ref.	KITS & Accessories	Otv.	P/N
	1	Snap-Cover, Black	211921	101
	1	Snap-Cover, Yellow	211921	102
	1	Snap-Cover, White	211921	103
	1	Snap-Cover, Purple (Non-Potable)	211921	104
	5	Cover, Yardage Marker Blank (Blac	:k) (211752	01)
	-	Sod Cup Kit	212	2613



	Mid-Range nozzle (9A)	Close-In nozzle (9B)
Dual Spreader:	#28-36 Blue	Always Black With
	Part No.: 211562	White Cascade Insert
	#40-48 Black w/o insert	Part No.: 211452
	Part No.: 211417	
Cascade:	Plugged	With White Cascade
Cascade:	Plugged Part No.: 211593	With White Cascade Insert Always Black
Cascade:	33	
Cascade: Original:	33	Insert Always Black

- (A) Specify Nozzle Size when ordering. Available in #28, 32, 36, 40, 44, 48.
- (B) For Non-Potable applications, use standard part and purple snap ring (Part # 21192104)
- (C) Replacement Internal Assembly upgrade to Rain Bird 700
- (D) Replacement Dual Spreader Nozzle Housing upgrade to Rain Bird 700 Nozzle Housing. Requires two (2) 700/751 Nozzle Housing Screws (Part # 214754).
- (E) Also requires Seal-a-Matic™ Screen Assy (Part # 211292).

Part #	Description
211562	Spreader Nozzle - Blue
213705	Spreader Nozzle - Blue W/Diffuser
211417	Spreader Nozzle - Black
211452	Spreader Nozzle - Black W/Diffuser
213701	Spreader Nozzle - Green
212291	Spreader Nozzle - Red
213702	Spreader Nozzle - Orange
211593	Spreader Nozzle Plug
213703	White Diffuser Insert - 500/550/700/750/751

Stator / Poppet Configurations - Dual Spreader & Cascade

COIOI	Nullibei	Liectife i ressure setting				riyu,	
			psi (bars)			SAM,	
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В	
White	#28 / 14C	SPC	SPC	SPC	SPC	SPC	
Blue	#32 / 16C	SPO	SPO	SPO	SPO	SPO	
Yellow	#36 / 18C	SPO	SPO	SPO	SPO	SPO	
Orange	#40/20C	SNP	SNP	SNP	SNP	SNP	
Green	#44/22C	SNP	SNP	SNP	SNP	SNP	
Black	#48 / 24C	N/R	SNP	SNP	SPR	SNP	
SPC = St	ator with Popp	et Closed	SO =	Screen On	ıly		
SPO = Stator with Ponnet Onen			SPR =	Spacer an	d Screen		

SNP = Stator No Poppet


 $N/R = Not \ a \ Recommended \ Pressure$ and Nozzle Setting

Stator with Poppet Closed Should be tight when snapped in



Stator with Poppet Open Should be loose when snapped in







Ref.	Part Description	Otv.	750-E/IC	750-S/H	750B
SNAF	PRINGS				
1	Snap Cover	1	21192101	21192101	21192101
2	Rubber Cover Kit	1	(212552)	(212552)	(211355)
INTE	RNAL ASSEMBLY				
3	Internal Assembly (A)	1	(E) 214751xx	(E) 214751xx	(E) 214751xx
COVI	ER ASSEMBLY				
4	Self-Tapping Screw	2	210974	210974	210974
5	Housing Less Nozzle (D)	1	213760	213760	213760
6	Cover Screw O-Ring	2	211236	211236	211236
NOZ	ZLES				
7	Dual-Spreader [™] Nozzle Housing(B)(C)	1	21198201	21198201	21198201
8	Range Nozzle Assembly (A)	1	213750xx	213750xx	213750xx
9	Retract Seal	1	210354	210354	210354
17	Stator/Screen Kit	1	21040301	21040301	21040301
	-Stator	1	_	_	_
	-Poppet	1	_	_	_
	-Screen	1	_	_	_
18	Seal-a-Matic [™] Screen Assy	1	_	_	211292
BEAR	RING / RISER-MOTOR ASSEMBLY				
10	Nozzle Housing O-Ring	1	210366	210366	210366
11	Arc Adjustment Stem O-Ring	1	211236	211236	211236
12	Arc Adjustment Stem	1	210420	210420	210420
13	Bearing Guide Assy, STD	1	211147	_	_
13	Bearing Guide Assy, LO-FLOW	1	_	211263	(211263)
14	Bearing Guide O-Ring	1	211242	211242	211242
15	Riser Motor Assembly	1	21475100	21475100	21475100
16	Pop-up Seal (White)	1	210399	210399	210399
19	CASE ASSEMBLY See Catolog No. 010				

Ref.	KITS & Accessories	Otv	. P/N
1	Snap-Cover, Black		21192101
1	Snap-Cover, Yellow		21192102
1	Snap-Cover, White		21192103
1	Snap-Cover, Purple (Non-Potable)		21192104
5	Cover, Yardage Marker Blank (Whi		(21199603)
5	Cover, Yardage Marker Blank (Blac	(k)	(21199601)
Diffu	ser Screw Kit, Dual Spreader (B)		212295
(Witi	hout Nozzle)		
7	Nozzle Housing, Drilled & Tapped	1	
-	Diffuser Screw (not shown)	1	
5	Housing Cover (Notched)	1	
9	Retract Seal	1	
6	Cover Screw O-Ring	2	
EAGI	LE'S TAIL KITS		
-	Dual-Spreader (without nozzle) (B	lack)	212287
7	Housing, Nozzle, Drilled in back	1	
-	Close-in Spreader Nozzle, 700	1	211452
5	Housing Cover	1	
9	Retract Seal	1	
6	Cover Screw O-Ring	2	
_	EAGLE's Tail Instruction Sheet	1	
-	Sod Cup Kit		212613

- CASE ASSEMBLY See Catolog No. 010
- Specify Nozzle Size when ordering. Available in # 28, 32, 36, 40, 44, 48. To replace cascade nozzles (#14-24), double the nozzle number and upgrade to dual spreader nozzles. (eg. for #18 cascade, order #36 dual spreader.)
- For non-potable applications use standard part and purple snap ring (Part # 21192104) (B)
- (C) For casade nozzle housing upgrade to Dual-Spreader [™] nozzle housing - Part # 21198201 and Nozzle - part # 213750xx
- Replacement housing upgrade to Rain Bird 751.
- Also requires Seal-a-Matic™ Screen Assy (Part # 211292).





750 Dual-Spreader Nozzle

750 Cascade Nozzle (obsolete)

Stator with Poppet Closed

Should be tight when snapped in

Stator with Poppet Open




Should be loose when snapped in

Stator / Poppet Configurations - Dual-Spreader & Cascade

Color	Number	Ele	Hyd,					
			psi (bars)					
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В		
White	28/14C	SPC	SPC	SPC	SPC	SPC		
Blue	32/16C	SPO	SPO	SPO	SPO	SPO		
Yellow	36/18C	SPO	SPO	SPO	SPO	SPO		
Orange	40/20C	SNP	SNP	SNP	SNP	SNP		
Green	44/22C	SNP	SNP	SNP	SNP	SNP		
Black	24C	SNP	SPR	SPR	SPR	SNP		
Black	#48	SPR	SPR	SPR	SPR	SNP		

SPC = Stator with Poppet Closed SPO = Stator with Poppet Open SNP = Stator No Poppet and Nozzle Setting

SPR = Spacer and Screen N/R=Not a Recommended Pressure





Ref.	Part Description	Otv.	900-E/IC	900-S/H
SNA	P RINGS			
1	Snap Cover (all models)	1	21193401	21193401
2	Rubber Cover kit	1	(212553)	(212553)
INTE	RNAL ASSEMBLY			
3	Internal Assembly (A)(B)	1	210786xx	210786xx
COV	ER ASSEMBLY			
4	Self-Tapping Screw	2	210975	210975
5	Housing Cover	1	211966	211966
6	Screw O-Ring	2	209778	209778
NOZ	ZLES			
7	Nozzle Housing - Black (B)(C)	1	211967	211967
8	Range Nozzle Assembly	1	213900xx	213900xx
9	Spreader Nozzle Assembly	1	See cha	rt Below
10	Retract Seal	1	210231	210231
17	Stator/Screen Kit	1	210232	210232
-	Poppet	1	_	_
-	Screen	1	_	_
	Stator	1	_	
BEAI	RING / RISER-MOTOR ASSEMBLY			
11	Nozzle Housing O-Ring	1	210168	210168
12	Bearing Guide Assy, STD	1	211460	_
12	Bearing Guide Assy, LO-FLOW	1	_	(211461)
13	Bearing Guide O-Ring	1	212383	212383
14	Riser Motor Assembly	1	209836	209836
15	Nozzle Base Replacement Kit v	v/seals 1	212060	212060
16	Pop-up Seal (White)	1	209781	209781

Ref.	KITS & Accessories	Otv.	P/N
1	Snap-Cover, Black		21192101
1	Snap-Cover, Yellow		21193402
1	Snap-Cover, White		21193403
1	Snap-Cover, Purple (Non-Potable)		21193404
Diffu	ser Screw Kit		(B) 212144
(For	high performance nozzeles 44-64)		
7	Nozzle Housing, Drilled & Tapped	1	
-	Diffuser Screw, installed	1	
5	Cover, (Notched)	1	
9	Spreader Nozzle Assembly	1	
10	Retract Seal	1	
6	Screw O-Ring	2	

18 CASE ASSEMBLY See Catalog No. 011

- Specify Nozzle Size when ordering. Available in High Performance nozzle sizes # 44, 48, 52, 56, 60, 64.
- (B) For Non-Potable applications, use standard part and purple snap ring Part # 21193404
- (C) The Nozzle Housing was changed 8/99 to accomodate the new Spreader for the High Performance nozzles. All 900 rotors and Nozzle/Housings manufactured after 8/99 have the new Nozzle Housing. Upgrade to High Performance Nozzle.

Spreader Nozzles	
If Range Nozzle is:	then use:
44 - 48	Part No.: 213904
	(Blue)
52 - 64	Part No.: 213905
	(Black)

	Stator / Poppet	Configurations - Hig	h Performance and Standard Nozzles
--	-----------------	----------------------	------------------------------------

Color	Number	Ele	ng	Hyd,		
				SAM,		
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В
Blue	#44	SPC	SPC	SPC	SPC	SPC
Yellow	#48	SPC	SPC	SPC	SPO	SPC
Orange	#52	SPC	SPO	SPO	SPO	SPO
Green	#56	N/R	SNP	SNP	SNP	SNP
Black	#60	N/R	SNP	SPR	SPR	SPR
Red	#64	N/R	N/R	SPR	SPR	SPR
White	#18C	SPC	SPC	SPC	SPC	SPC
Gray	#20C	SPC	SPC	SPC	SPC	SPC
Blue	#22C	SPC	SPC	SPC	SPC	SPC
Yellow	#24C	SPC	SPC	SPO	SPO	SPO
Orange	#26	SPO	SPO	SPO	SPO	SPO
Green	#28	N/R	SNP	SPR	SPR	SPR
Black	#30	N/R	SNP	SPR	SPR	SPR
Brown	#32	N/R	N/R	SPR	SPR	SPR

SPC = Stator with Poppet Closed $SPO = Stator\ with\ Poppet\ Open$

SNP = Stator No Poppet

SPR = Spacer

N/R=Not a Recommended Pressure


and Nozzle Setting





Should be tight when snapped in

Should be loose when snapped in





Ref.	Part Description	Otv.	950-E/IC	950-S/H
SNA	P RINGS			
1	Snap Cover (all models)	1	21193401	21193401
2	Rubber Cover Kit	1	212554	212554
INTE	FRNAL ASSEMBLY			
3	Internal Assembly (B,C)	1	211442xx	211442xx
COV	'ER ASSEMBLY			
4	Self-Tapping Screw	2	210975	210975
5	One Piece Arc Adjust Conversion Kit(A)(B)	1	212893	212893
6	Housing Cover (on &after 11/06) (A)	1	(21282001)	(21282001)
8	Screw O-ring	2	209778	209778
NOZ	ZZLES			
9	Nozzle Housing-Black(on & after 11/06)(A)(B)	1	212822	212822
10	Range Nozzle Assembly (C)	1	213950xx	213950xx
11	Retract Seal	1	210231	210231
19	Stator/Screen Kit	1	210232	210232
	- Poppet		_	_
	- Stator		_	_
	- Screen		_	
BEA	RING / RISER-MOTOR ASSEMBLY			
12	Nozzle Housing O-Ring	1	210436	210436
13	Adjustment Stem (on & after 11/06) (A)	1	_	_
14	Bearing Guide Assy, STD	1	211460	_
14	Bearing Guide Assy, LO-FLOW	1	_	(211461)
15	Bearing Guide O-Ring	1	212383	212383
16	Riser Motor Assembly	1	210439	210439
17	Nozzle Base Replacement Kit w/seals	1	212061	212061
18	Pop-up Seal (White)	1	209781	209781

20	CASE ASSEMBLY See Catolog No. 011
(A)	One Piece Arc Adjust incorporated 11/06. Prior to 11/06.
	Upgrade to the One Piece Arc Adjust Kit. Part # 212893.
(B)	For non-potable applications, use standard part and purple snap ring -

Part # 21193404.

(C) Specify Nozzle Size when ordering. Available in # 18, 20, 22, 24,26,28,30,32

Ref.	KITS & Accessories	Otv.	P/N
1	Snap-Cover, Black		21192101
1	Snap-Cover, Yellow		21193402
1	Snap-Cover, White		21193403
1	Snap-Cover, Purple (Non-Potable)		21193404
Rubi	ber Cover Kit		(E)212554
-	Snap Ring Rubber cover	1	
-	Upper snap ring	1	
-	Housing Rubber cover	1	
-	Rubber Case Cover	1	
5	Cover, Yardage Marker Blank (White) (A	4)	(21214103)
5	Cover, Yardage Marker Blank (Black) (A	1)	(21214101)
Diffu	ıser Screw Kit		(B)212145
9	Nozzle Housing, Drilled & Tapped	1	
-	Diffuser Screws	2	
5	Cover, Notched	1	
11	Retract Seal	1	
8	Screw O-Ring	2	
EAG	LE's TAIL KIT (Black)		(B)211900
9	Housing, Nozzle, Drilled in back	1	
-	Close-in Spreader Nozzle, 700	1	211452
5	Housing cover	1	
11	Retract Seal	1	
8	Screw O-Ring	2	
	EAGLE's Tail Instruction Sheet	1	

Stator / Poppet Configurations - Cascade & Non-Cascade
--

Color	Number	Ele	Hyd,			
			psi (bars)		SAM
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	
White	#18C	SPC	SPC	SPC	SPC	SPC
Gray	#20C	SPC	SPC	SPC	SPC	SPC
Blue	#22C	SPC	SPC	SPC	SPC	SPC
Yellow	#24C	SPC	SPC	SPO	SPO	SPO
Orange	#26	SPO	SPO	SPO	SPO	SPO
Green	#28	N/R	SNP	SO	SO	SPR
Black	#30	N/R	SNP	SO	SO	SPR
Brown	#32	N/R	SPR			

SPC = Stator with Poppet Closed

SPR = Spacer and Screen

SPO = Stator with Poppet Open SNP = Stator No Poppet

SO = Screen Only

N/R=Not a Recommended Pressure and Nozzle Setting

Stator with Poppet Closed

Stator with Poppet Open






Should be tight when snapped in

Should be loose when snapped in







EAGLE™ 500 / 550 / 700 / 750 SERIES



Ref	. Part Description	Otv.	Electric	SAM/Hydraulio	B case	IC	
CAS	E ASSEMBLIES						
EAG	5LE™ 700 / 750						
1	Case Assembly (NPT)	1	(A)	(A)	(A)	(A)	
-	Case Assembly (BSP)	1	(B) (H)	(H)	(1)	(H)	
-	Case Assembly (ACME)	1	(B) 21246602C	212468	21148903	(B) 21338902	
EAG	GLE™ 500 / 550						
1	Case Assembly (NPT)	1	(A)	(A)			
(J)			_				
-	Case Assembly (BSP)	1	(A)	(B,C,H)	(1)	_	
-	Case Assembly (ACME)	1	(B,C)	212468	21148903	_	
2	PRS/Selector Housing Assy (>6/95)	1	211418	_	_	_	
3	Selector Cap	1	(D)	_	_	_	(A) 1 1/4" NPT cases not available. Upgrade to
4	Stem Cover O-Ring	1	(D)	_	_	_	ACME case w/NPT to ACME adatper (212947S).
5	Compression Spring	1	(D)	_	_	_	(B) Case assembly will come with a 70psi
6	Selector Spring Washer	1	(D)	_	_	_	(4.8 bars) pressure setting (C) Use EAGLE™ 700/750 case assembly and
7	PRS Cartridge, Upper Stem (Black)	1	(D)	_	_	_	replace valve with 500/550 valve assembly
8	Selector Seal (Green)	1	(D,F) 212244	_	_	_	(212089S)
9	Solenoid Base O-Ring	1	211237	_	_	_	(D) Included in PRS/Selector Repair Kit: Pre 4/01
10	Base Nut	1	(602606)	_	_	_	use # 213366 (includes rust seal.), Post 4/01 use
11	Plunger Core Tube Assy	1	(G) (21297201S)	_	_	_	#212150 (includes green seal).
12	Tubing	2	(E)211607	(E)211607	_	_	(E) Tubing Repair Kit includes 20 tubes, ferrules
13	Solenoid Assy	1	213462C	_	_	_	and metal barbs.
14	U-Frame	1	(2121245)	_	_	_	(F) Selector Seal, Rust (<4/01) #211663
15	Encapsulated Coil	1	602118	_	_	_	(G) For salt water Plunger Core Tube Assy - use
16	Solenoid Retainer	1	(627167)	210470	_	_	Part # 212732
17	Lower Snap Ring	2	210470	210470	_	_	(H) 1 1/4" BSP cases not available. Upgrade to
18	Valve Assembly (700 / 750 Series)	1 1	211468	212322 212322	_	_	ACME case w/ BSP to ACME adapter - Use part #
18	Valve Assembly (500 / 550 Series)	•	212089\$		_	_	(21337102)
19 20	Probe O-Ring Universal Filter	2 1	211238 20609202	211238	_	_	(I) 1" BSP cases not available. Upgrade to ACME
21	Inlet Rubber Seal	1	212328\$	— (212221)	_	_	case w/ BSP to ACME adapter - Use part #
22	Seal Nut	1	2123263	(212221)	_	_	(21337101)
23	Top-Serviceable Rock Screen	,	211174				(J) 1" NPT cases not available. Upgrade to
23	(TSRS) (>4/98) (White)	1	21171401	21171401	_	_	ACME case w/ NPT to ACME adapter - use part # 21337001
24	O-Ring for TSRS (Yellow)	1	210366	210366		_	21337001
25	ICM Assembly	1	214010	_	_	_	
9	Solenoid and ICM O-Ring	1	211237	_	_	_	
26	GBS25 (Golf Black Solenoid 25kv)	1	213462C	_	_	_	
VITC	,						
KITS –	Tubing Repair Kit (E)	1	211607	_	_	_	
_	Quick Connects for Tube Cuts	1	212159	212159	_	_	
_	Rubber Cover Kit (B case Only)	1			211355	_	
_	Rubber Cover Kit (500/550/700/750) -	,			211333		
	Smooth Case Rotor	1	(211602)	(211602)	_	_	
_	Rubber Cover Kit (500/550/700/750) -	,	(211002)	(277002)			
	Ribbed Case Rotor	1	(212551)	(212551)	_	_	
_	Sod Cup Kit		212613	212613	212613	212613	
TOO	LS - For use on 500/550/700/750 Rotors						
-	Selector Service Tool Key (Orange Tool)	1	B41720	_	_	_	
_	7" Selector Valve Key	1	D02215	_	_	_	
_	18" Selector Valve Key	1	D02213	_	_	_	
_	Snap Ring Pliers	1	D02221	 D02236	_	_	
_	Valve Insertion Tool	1	B41710	B41710	_	_	
_	Installation Socket for TSRS	1	D02237	D02237	_	_	
_	Universal Hose Adaptor	1	D05205	D05205	_		
	omversui nose nauptoi	1	D03203	DUJZUJ			









Ref.	Part Description	Otv.	Electric	SAM / Hvdraulic	IC
CASE	ASSEMBLIES				
1	Case Assembly (NPT)	1	(A) 21246903	(B)	_
1	Case Assembly (BSP)	1	(G)	(G)	(G)
1	Case Assembly (ACME)	1	(C) 21247503C	212477(C)	(C) 21339003
2	PRS/Selector Housing Assy (>6/95)	1	(C) 21247503C	_	_
3	Selector cap	1	(D)	_	_
4	Stem Cover O-Ring	1	(D)	_	_
5	Compression Spring	1	(D)	_	_
6	Selector Washer	1	(D)	_	_
7	PRS Cartridge	1	(D)	_	_
8	Selector Seal (Green)	1	(D)(F) 212244	_	_
9	Solenoide Base O-Ring	1	211237	_	_
10	Base Nut	1	(602606)	_	_
11	Plunger Core Tube Assy	1	_	_	_
12	Tubing	2	(E)211607	(E)211607	_
13	Solenoid Assembly Kit	1	213462C	_	_
14	Solenoid Retainer	1	(627167)	_	_
15	Solenoid U-Frame	1	(212124S)	_	_
16	Encapsulated Coil	1	602118	_	_
17	Lower Snap Ring (White)	2	208396	208396	_
18	HPDV Valve Assembly	1	211266	212323	_
19	Seal Nut (White)	1	211174	_	_
20	Rubber Inlet Seal	1	(211197)	212220\$	_
21	Universal Filter	1	20609202	_	_
22	Probe & O-ring Assembly (Grey)	1	20740201	20740201	_
	Probe O-Ring (Yellow)	1	211238	211238	_
23	Top-Serviceable Rock Screen (>9/98)	1	21171402	21171402	_
24	Rock Screen O-ring (Grey)	1	210366	210366	_
25	Inlet Screen (<9/98)	1	_	_	_
26	ICM Assembly	1	214010	_	_
9	Solenoid and ICM O-Ring	1	211237	_	_
27	GBS25 (Golf Black Solenoid 25kv)	1	213462C	_	_
KITS					
_	Tubing Repair Kit (E)	1	211607	_	_
_	Quick Connect for Tube Cuts	1	212159	212159	_
-	Rubber Cover Kit 950 - Ribbed Case	1	212554	212554	_
TOO	LS - For use on 900/950/1100/1150/115E Rotors				
_	Selector Service Took Key (Orange Toll)	1	B41720	_	_
_	7" Selector Valve Key	1	D02215	_	_
_	18" Selector Valve Key	1	D02221	_	_
_	Snap Ring Pliers	1	D02203	D02203	_
_	Valve Insertion Tool	1	B41700	B41700	_
-	Installation Socket for TSRS	1	D02237	D02237	_
	Universal Hose Adapter	1	D05205	D05205	

⁽A) Only available in 80psi (5,5bars)

⁽B) 1 1/2" NPT Case not available. Upgrade to ACME case w/NPT to ACME adaptor - use part# 212948S

⁽C) Case Assemblies will be set to 80 psi (5.5 bars).


⁽D) Included in PRS/Selector Repair Kit: Pre 4/01 use Part #

^{213366 (}includes rust color seal), Post 4/01 use Part # 212150 (E) Tubing repair Kit includes 20 tubes, ferrules and metal

barbs. (F) Selector Seal, Rust (<4/01) - part # 211663.

⁽G) 1 1/2" BSP cases not available. Upgrade to ACME case w/ BSP to ACME adapter - Use part # (21337103)





Ref.	Part Description	Otv	1100-E	1100-S	1100-H
SNAF	PRINGS				
1	Snap Cover (all models)	1	(21220401)	(21220401)	(21220401)
RUBE	BER COVER KIT	1	(212607)	(212607)	(212607)
2	Rubberized Snap Cover	1	_	_	_
21	Rubber Cover, Housing	1	(212266S)	(212266S)	(212266S)
6	Screw O-Ring	2	209778	209778	209778
INTE	RNAL ASSEMBLY				
3	Internal Assembly	1	(212438xx)	(212438xx)	(212438xx)
COVE	ER ASSEMBLY				
4	Self Tapping Screw	2	210975	210975	210975
5	Diffuser Housing Insert	1	_	_	_
6	Screw O-Ring	2	209778	209778	209778
NOZ	ZLES (Please specify nozzle size whei	n ordei	ring - See beloi	v)	
-	Nozzle/Housing Kit	1	(212602xx)	(212602xx)	(212602xx)
7	Nozzle Housing	1	_	_	_
8	Range Nozzle Assembly	1	(212604xxs)	(212604xxs)	(212604xxs)
9	Spreader Dual Nozzle Assembly	1	(212605xx)	(s212605xx)	(s212605xxs)
10	Retract Seal (Nozzle Housing)	1	_	_	_
18	Riser Screen	1	_	_	_
BEAR	RING/RISER-MOTOR ASSEMBLY				
11	O-Ring Nozzle Housing	1	(212255S)	(212255S)	(212255S)
13	Bearing Guide O-Ring	1	212383	212383	212383
1.1	Retract Spring	1	(212162S)	(212162S)	(212162S)
14					
14 15	Riser Motor Assembly	1	_	_	_
		1	— (212172)	— (212172)	— (212172)
15	Riser Motor Assembly	,	— (212172) —	— (212172) —	— (212172) —

Stator Setting Configurations Factory

Number Color of Range Nozzle Electric Case Pressure Setting Hyd/SAM Psi (bars)

CASE ASSEMBLY (Please refer to EAGLE™ 900/950/1100/1150/115-E Series, catalog

		80(5,5)	100(6	5.9) 120	(8.3) Set per Base Psi*	
#48	Blue	10	11	12	10 - 12	
#57	Yellow	11	12	13	11 - 13	_
#63	Orange	13	15	16	13 - 16	_
#66	Green	14	16	16	14 - 16	_


^{*} Factory stator set for 80psi base pressure


Note: Stator settings to a lower number than factory will speed up rotation speed and shorten radius. Stator settings to a larger number than factory will slow rotation speed or cause non-rotation.

Note: Part numbers enclosed in brackets () are not available individually, but may be sold in assemblies or kits.

number 466)







Ref.	Part Description	Otv	1150-E	1150-S	1150-H
SNAF	PRINGS				
1	Snap Cover (all models)	1	(21220401)	(21220401)	(21220401)
RUBE	BER COVER KIT	1	(212608S)	(212608S)	(212608S)
2	Rubberized Snap Cover	1	_	_	_
21	Housing Rubber Cover	1	_	_	_
6	Screw O-Ring	2	209778	209778	209778
INTE	RNAL ASSEMBLY				
3	Internal Assembly	1	(21243966S)	(21243966S)	(21243966S)
COVI	ER ASSEMBLY				
4	Self Tapping Screw	2	210975	210975	210975
5	Diffuser Housing Insert	1	_	_	_
22	Arc Adjustment Shaft Assembly	1	_	_	_
6	Screw O-Ring	3	209778	209778	209778
NOZ.	ZLES (Please specify nozzle size wh	en ord	ering - See belov	w)	
-	Nozzle/Housing Kit	1	(212609xx)	(212609xx)	(212609xx)
-	Nozzle/Housing Kit (Purple)	1	(21261066)	(21261066)	(21261066)
7	Nozzle Housing	1	_	_	_
8	Range Nozzle Assembly	1	(212604xxs)	(212604xxs)	(212604xxs)
9	Spreader Dual Nozzle Assembly	1	(212611S)	(212611S)	(212611S)
10	Retract Seal (Nozzle Housing)	1	_	_	_
18	Riser Screen	1	_	_	_
BEAF	RING/RISER-MOTOR ASSEMBLY				
11	O-Ring Nozzle Housing	1	(212255S)	(212255S)	(212255S)
13	Bearing Guide O-Ring	1	212383	212383	212383
14	Retract Spring	1	212162S	2121625	2121625

CASE ASSEMBLY (Please refer to EAGLE™ 900/950/1100/1150/11-E Series, catalog number 011)

(212436S)

212172

(212606)

(212436S)

212172

(212606)

(212436S)

212172

(212606)

Stator Setting Configurations Factory

15 Riser Motor Assembly

17 Motor Housing (Replacement) 20 Stator Assembly - Common

16 Seal, Riser-Pop-Up


Color of Range Nozzle Electric Case Pressure Setting Hyd/SAM Psi (bars)

		80(5,5	100(5.9) 120 (8.3) Set per Base Psi*	
#48	Blue	6	7	8	6 - 8	
#57	Yellow	8	9	10	8 - 10	
#63	Orange	10	11	12	10 - 12	
#66	Green	12	13	14	12 - 14	

^{*} Factory stator set for 80psi base pressure

Note: Stator settings to a lower number than factory will speed up rotation speed and shorten radius. Stator settings to a larger number than factory will slow rotation speed or cause non-rotation.







Ref. Part Description	Otv.	700-E/IC	700-S/H	700B
SNAP RINGS				
1 Snap Cover	1	21192101	21192101	21192101
INTERNAL ASSEMBLY				
2 Rain Bird 700 Internal Assembly (A) (B)	1	214700xx	214700xx	214600xx
NOZZLE HOUSING AND NOZZLES				
3 700 / 751 Nozzle Housing Screw	2	214754	214754	214754
4 Blue Spreader Nozzle Standard (C)	1	211562	211562	211562
5 Black with White Diffuser Standard (C)	1	211452	211452	211452
6 White Diffuser	1	213703	213703	213703
7 700 Nozzle Housing Less Nozzles	1	213710	213710	213710
8 Range Nozzle and O-ring Assembly (A)	1	213700xx	213700xx	213700xx
BEARING GUIDE / MOTOR ASSEMBLY				
9 Bearing Guide Assembly, Standard	1	211147	_	_
9 Bearing Guide Assembly, Low Flow	1	_	211263	211263
10 Bearing Guide O-ring	1	211242	211242	211242
11 Rain Bird 700 Riser Motor Assembly	1	21470000	21470000	21470000
12 700 / 750 / 751 Stator / Screen Kit	1	21040301	21040301	21040301
13 SAM Screen Kit Block Models	1	_	_	211292
17 Pop-up Seal (White)	1	210399	210399	210399
KITS AND ACCESSORIES				
1 Snap Cover, Yellow	1	21192102	21192102	21192102
1 Snap Cover, White	1	21192103	21192103	21192103
1 Snap cover, Purple	1	21192104	21192104	21192104
- Sod Cup Kit	1	212613	212613	212613
DIFFUSER SCREW				
16 700 / 751 Diffuser Screw Only	1	214757	214757	214757

- (A) Specify Nozzle Size when ordering. Available in #28, 32, 36, 40, 44, or 48.
- (B) For Non-Potable applications, use standard part and purple snap ring (Part # 21192104)
- (C) Optional Spreader Nozzles 213701 (Green), 213702 (Orange), 213705 (Blue w/Diffuser), 212291 (Red), and 211417 (Black)

Stator / Poppet Configurations - Dual Spreader

Color	Number	Elect	Electric Pressure Setting				
		psi (bars)				SAM,	
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В	
White	#28	SPC	SPC	SPC	SPC	SPC	
Blue	#32	SPO	SPO	SPO	SPO	SPO	
Yellow	#36	SPO	SPO	SPO	SPO	SPO	
Orange	#40	SNP	SNP	SNP	SNP	SNP	
Green	#44	SNP	SNP	SNP	SNP	SNP	
Black	#48	N/R	SNP	SNP	SPR	SNP	

SPC = Stator with Poppet Closed SPO = Stator with Poppet Open SNP = Stator No Poppet

SO = Screen Only SPR = Spacer and Screen

 $N/R = Not \ a \ Recommended \ Pressure$ and Nozzle Setting


Stator with Poppet Closed Should be tight when snapped in

Stator with Poppet Open



		\
	Mid-Range nozzle (9A)	Close-In nozzle (9B)
Dual Spreader:	#28-36 Blue	Always Black With
	Part No.: 211562	White Cascade Insert
	#40-48 Black w/o insert	Part No.: 211452
	Part No.: 211417	
Cascade:	Plugged	With White Cascade
	Part No.: 211593	Insert Always Black
		Part No.: 211452
Original:	Black w/o insert	Plugged
	Part No.: 211417	Part No.: 211593







Ref.	Part Description	Otv.	E/IC	S/H	В
SNA	PRINGS				
1	Snap Cover	1	21192101	21192101	21192101
INTE	RNAL ASSEMBLY				
2	Rain Bird Internal Assembly (A) (B)	1	214751xx	214751xx	214651xx
NOZ	ZLE HOUSING AND NOZZLES				
3	Nozzle Housing Screw	2	214754	214754	214754
4	Nozzle plug	1	211593	211593	211593
5	Nozzle Housing Less Nozzle	1	213760	213760	213760
6	Standard Range Nozzle and O-Ring Assembly (C)	1	213750xx	213750xx	213750xx
6	Short Throw Range Nozzle and O-Ring Assembly (D)	1	213751xx	213751xx	213751xx
7	O-Ring (Cover, Adjust, & Lever)	2	211236	211236	211236
8	FC/PC Arm-Lever Assembly	1	214752	214752	214752
9	Arc Adjust Stem	1	210420	210420	210420
BEAI	RING GUIDE / MOTOR ASSEMBLY				
10	Bearing Guide Assembly, Standard	1	211147	_	_
10	Bearing Guide Assembly, Low Flow	1	_	(211263)	(211263)
11	Bearing Guide O-ring	1	211242	211242	211242
12	FC-PC Trip Rod	1	214753	214753	214753
13	Rain Bird 751 Riser Motor Assembly	1	21475100	21475100	21475100
14	Stator/Screen Kit	1	21040301	21040301	21040301
15	SAM Screen Kit Block Models	1	_	_	211292
19	Pop-up Seal (White)	1	(201399)	(201399)	(201399)
KITS	AND ACCESSORIES				
1	Snap Cover, Yellow	1	21192102	21192102	21192102
1	Snap Cover, White	1	21192103	21192103	21192103
1	Snap cover, Purple	1	21192104	21192104	21192104
-	Sod Cup Kit	1	212613	212613	212613
DIFF	USER SCREW				
17	Diffuser Screw Only	1	214757	214757	214757
SPR	EADER NOZZLES				
18 I	Rear Spreader Nozzles	1	(E)	(E)	(E)

- (A) Specify Nozzle Size when ordering. Available in #20, 22, 28, 32, 36, 40, 44, or 48.
- (B)For Non-Potable applications, use standard part and purple snap ring (Part # 21192104)
- (C) Specify Nozzle Size (28, 32, 36, 40, 44, or 48)
- (D) Sprcify Nozzle Size (22 or 24)
- (E) Optional Spreader Nozzles 213701 (Green), 213702 (Orange), 213705 (Blue w/Diffuser), 212291 (Red), and 211417 (Black)

Stator / Poppet Configurations - Dual Spreader									
Color	Number	Elect	ric Pressul	re Setting		Hyd,			
			psi (l	bars)		SAM,			
		60 (4,1)	70 (4,8)	80 (5,5)	100 (6,9)	В			
Gray	#20	S4	S4	54	54	S4			
Red	#22	S8	<i>S8</i>	<i>S8</i>	S8	S8			
White	#28	SPC	SPC	SPC	SPC	SPC			
Blue	#32	SPO	SPO	SPO	SPO	SPO			
Yellow	#36	SPO	SPO	SPO	SPO	SPO			
Orange	#40	SNP	SNP	SNP	SNP	SNP			
Green	#44	SNP	SNP	SNP	SNP	SNP			

= 4 Hole

Black

SPC = Stator with Poppet Closed

SPO = Stator with Poppet Open SNP = Stator No Poppet


8 Hole SO = Screen Only

SPR = Spacer and Screen

SNP

 $N/R = Not \ a \ Recommended \ Pressure$

and Nozzle Setting






Stator with Poppet Open Should be loose when snapped in








Ref.	Part Description	SH-0	BSP SH-0	SH-1	SH-2	BSP SH-2	SH-3
1	Elbow	(200449)	(201570)	(200449)	(200454)	(201572)	(200454)
2	O-Ring	(200451)	(200451)	(200451)	(200456)	(200456)	(200456)
3	Sleeve	(200783)	(202129)	(200785)	(200787)	(201571)	(200786)
4	Screw	(200784)	(200784)	(200784)	(200788)	(200788)	(200788)






ONE-PIECE QUICK COUPLER VALVES 3, 5, AND 7 SERIES




















Ref.	Part Description	100PGA	150PGA	200PGA
1	Diaphragm Assembly	209792	209675	209005
2	Bonnet Assembly	210858	210454	210866
3	Solenoid Assembly	236239	236239	236239
4	Handle NP	231234	231236	231236












Ref.	Part Description	100	150	200	
1	Diaphragm Assembly	208143	(234882S)	(208605)	
		20814402	(23486602S)	(20851802)	
		(20814404S)	(23486604S)	(20851804S)	
2	Bonnet Assembly	20936701	(20936702)	(20936702)	
3	Handle NP	231230	231232	231232	
4	Solenoid Assembly	236239	236239	236239	
5	Bleed Screw Assembly	204152	204152	204152	


































Ref.	Part Description	PRS	PRS-2	PRS-B	PRS-D
CARTRIDGE					
1	Cartridge assembly	_	_	_	_
2	Сар	_	_	_	_
3	Seat assembly	_	_	_	_
4	O-ring, seat	(203026)	(203026)	(203026)	(203026)
HOUSING					
5	O-ring, housing	_	_	(209502)	(209502)
6	Schrader valve	_	_	_	_
7	Solenoid seal	_	_	(208629)	(208629)
8	Nut, plastic	(602606)	_	_	_
9	Fluid resistor (1")	(207399)	_	_	_
_	Fluid resistor (11/4")	(207400)	_	_	_
-	Fluid resistor (1½" and 2")	207401	_	_	_
TOOLS					
10	Pressure hose gauge (PHG)	_	_	_	_
11	Solenoid wrench	B33003	B33003	_	












Ref.	Part Description	Qty.	PAR+ES
1	PLASTIC PEDESTAL SUB-ASSY, RP GRAY	1	H44011
2	Door RP Sub-Assy RP	2	(63671902)
3	LID RP Sub-Assy	1	(63671802)
4	Lock, Notched Cam	1	636709S
5	Plate, Lock, SST	1	(636743)
6	Bracket, Hinge, SST. Left	1	(63547001)
7	Bracket, Hinge, SST. Right	1	(63547002)
8	PEDESTAL MOUNTING KIT	1	635780
9	Bag, Poly 6 X 8	1	(601846)
10	Bag, Poly 15 X 24	1	(63230801)
11	Mounting Template	1	(635233)
12	Anchor Bolt	4	(63525802)
13	Label, Bolt. PPED, Template	1	(635824)
14	Washer 5/16 Lock-Spring	4	(65002907)
15	Nut, Hex 5/16	8	(65003307)
16	Washer Flat 5/16 Type B	4	(652181)
17	MANUAL, INSTALLATION PAR+ES	1	(635778)
18	MANUAL, OPERATION PAR+ES	1	(635777)
19	HARNESS ASSY TERMINAL BOARD STA 1-24	1	(H60331)
20	HARNESS ASSY TERMINAL BOARD STA 25-48	1	(H60341)
21	HARNESS ASSY TERMINAL BOARD STA 49-72	1	(H60351)
22	POWER SUPPLY SUBASSY, PAR+/MSC+	1	63522401
23	POWER SUPPLY SUBASSY, PAR+/MSC+ LINK	1	(63522402)
24	Label, Instruction PART+ES	1	635704S
25	CONTROL MODULE ASSY, PAR+	1	63571102
26	MAXI I/F MODULE, TWO WIRE		H44500
27	MAXI I/F MODULE, LINK		H44550
28	INTERCONNECT/PWR SUP SUB-ASSY	1	63322603
29	ASSY, OSM PAR/MSC+	2-9	(HA0100)
30	ASSY, OSM PAR/MSC+ /W SW	2-9	HA0200
31	Plate, OSM Sub-Assy (A)	1	(63522502)
32	Bezel Plastic Sub-Assy	1	(635229)
33	BRACKET-BOARD ASSY, STA 1-24	1	H60311
34	BRACKET-BOARD ASSY, STA 25-48	1	H60321
35	BRACKET-BOARD ASSY, STA 49-72	1	H60361
36	TWO-WIRE PIPE SUB-ASSY	1	(D02110)
<i>37</i>	ANTENNA PANEL ASSY	1	(H41006)
38	ANTENNA 450-470MHz	1	H60140
39	Rail Mounting Left Steel (A)	1	(635540S)
40	Rail Mounting Right Steel (A)	1	(635541S)
41	PAR+ES UPGRADE KIT	1	HP5050
42	Screw #10-16PN HD	4	(65218820)
43	Screw, Phillips PNH	14	(65218848)
44	Twist Lock	2	(651567)
45	Tubing, Rubber 5/8"	2	(63664701)
46	Terminal Block Two-Wire (A)	1	(651501S)
47	DIB BRACKET ASSY	1	(635867)
48	DECODER INTERFACE BOARD (DIB)	1	636104S


⁽A) Product is available through the Production & Service Center (gsplabrequests@rainbird.com).








Ref.	Part Description	Qty.	PAR+ES
2	DOOR RP SUB-ASSY RP		(636719)
2.1	Door, Plastic Pedestal	1	(63671902)
2.2	Screw	2	(652281010)
2.3	Inner Door Shield		(636939010)
2.4	Inner Door Spacer		(636940010)



Ref.	Ref. Part Description		PAR+ES	
3	LID RP SUB-ASSY			
3.1	Lid, Inner, Plastic Pedestal	1	(63671702)	
3.2	Lid, Outer, Plastic Pedestal	1	(63671802)	
4	Lock, Notched Cam	1	636709S	








Ref.	Part Description	Qty.	PAR+ES
25 CONTROL MODULE ASSY, PAR+ES			63571101
25.1	Assy, Cont. Mod cover PAR+/MSC+	1	(63488803)
25.2	Screw 7-19X1/2 Hilo RC-7	4	(622922)
25.3	Harness Assy, Cable-PAR/MSC+	1	633176
25.4	Panel, Front-PAR/MSC+	1	(633201)
25.5	PAR+ES PWB Assy Main Logic Board	1	63495505
A	LCD Backlight Assy PAR+/PAR+ES	1	635308
В	IC, Microcontroller, 80C32	1	(651031)
(IC, Clock and 64K Ram, DS1243Y	1	650718
	Soket IC Carrier 2 28PIN	1	(65062210)
25.6	Overlay, Membrane Switch, PAR+ES	1	635706
25.7	Ferrite, Flat Cable Snap-It	1	(651612)








Ref.	Part Description	Qty.	PAR+ES	
25.5	MAIN LOGIC PWB ASSEMBLY PAR+ES		63495505	
Р3	Harness Assy Plug F/P Light	1	(635152)	
(P5)	LCD Backlight Assy, PAR+	1	635308	
U23	S/W M/Assy, M/L BRD V10	1	(635708)	
C1, C2	Capacitor CER Disc, 50V (MIN)1PFTO8200	2	(65001215)	
C25-29, 12, 29, 23, 24	Capacitor CER 0.1MF 50V	14	65001345	
CR7-13	Diode IN4148	7	65003701	
CR14-38, CR1-6	Diode Zener 1N5231B 5.1V	31	(65003870)	
R92	Resistor 1/4W 10% 4.7 OHM	1	(65007917)	
R108	Resistor 1/4W 10% 100 OHM	1	(65007949)	
R109	Resistor 1/4W 10% 220 OHM	1	(65007957)	
R93-98, R78-84, R86-91	Resistor 1/4W 10% 330 OHM	19	(65007961)	
R64-75	Resistor 1/4W 10% 560 OHM	12	(65007967)	
R77, R85	Resistor 1/4W 10% 2.7 K	2	(65007983)	
R99	Resistor 1/4W 10% 4.7 K	1	(65007989)	
R105	Resistor 1/4W 10% 5.6 K	1	(65007991)	
R100-104	Resistor 1/4W 10% 10 K	5	(65007997)	
R106	Resistor 1/4W 10% 22 K	1	65008006	
R107	Resistor 1/4W 10% 39 K	1	(65008012)	
R110, 111	Resistor 1/4W 10% 100 K	2	(65008022)	
Q2	Transistor, NPN 600MW PN2222	1	(650084)	
L1, L2	Inductor Ferrite	2	(65030005)	
TP1	Terminal Test PT .067-078	1	(65033601)	
U24	IC, Quad OP AMP LM324	1	(650358)	
Q1	Transistor PNP 625 MW	1	(650369)	
P7	Header, 3 Position 1"	1	(65045403)	
(U23)	Socket IC Carrier 28PI	1	(65051802)	
(023) P1		1		
	Header, .100CTRS, 11CKT, FL RTANG	2	(65053001)	
C7, C22	Capacitor 2.2UFD 25V Tantalum	4	(65058303)	
C6, 13, 30, 31	Capacitor 22UFD 25V Tantalum		(65058309)	
C21	Capacitor 47.0 UF, 25V, Tantalum	1	(65058311)	
U19	IC Micropower Monitor & WDT	1	(650585)	
U9, 10, 14, 15, 17	IC, 3 State OCT Latch 74HC373	5	(650611)	
U18	IC, Nand 2-IN Quad 74HCOO	1	(650612)	
U21, 22	IC, Decoder 1-of-8 74HC238	2	(650613)	
U20	Socket, DIP, 28POS, Ultra Low Profile	1	(65062210)	
W1, (Y1)	Wire, A.I.	4	(65062503)	
U11	IC. Decoder 3 to 8 Line DIP16 74HC138	1	(650699)	
U20	IC. Clock and 64K Ram DS1243Y	1	650718	
Y1	Crystal, 11.0592 MHZ	1	(650721)	
R76	POT, 100K OHM 1/4" Single Turn	1	(65073914)	
P2	Header, Low Profile 24 POS.	1	(65087224)	
DS76, -83, 65, 67, 69, 71	LED, Clear Red Super Bright	12	(650910)	
P5, P6	Socket, ELEV Term Strip, 14 CKTS	1	(65102914)	
U16	IC, Microcontroller, 80C32	1	(651031)	
RT1	Thermistor, 5%, 6.8K, 3980	1	(65114906)	
U2	IC, Converter DC/DC Volt (LT 1026)	1	(651455)	






Ref.	Part Description	Qty.	PAR+ES
41			HP5050
41.1	Bracket, Mounting Steel, 72 STA (A)	1	(635542)
41.2	Cable Harness Assy	1	635569
41.3	Cable Assembly, Y	1	(635599)
41.4	Label, ST I.D., 72 STA	1	(635638)
41.5	Cable Tie, Nylon 7/8 Bundle	2	(650131)
41.6	Screw, Pan HD, #10 X 1/4"	2	(65075457)
41.7	Stud Phillips, Oval Steel	2	(651511)
41.8	Retainer, Black Nylon	2	(651512)
41.9	Receptacle, 1/4 Turn Steel	2	(651597)
21	HARNESS ASSY TERMINAL BRD STA 49-72	1	H60351
35	BRACKET-BOARD ASSY STA 49-72	1	H60361

(A) Product is available through the Production & Service Center (gsplabrequests@rainbird.com).








Ref.		Part Description	Qty.	PAR+ES
33		TERMINAL BOARD ASSEMBLY STA 1-24		H60311
	33.1	PWB Assy PAR+ Term BRD 1-24 (A)	1	(635121)
	Α	Plate, Terminal Strip, STE	1	(635217)
	В	Screw 6-32 X 3/8	5	(65010528)
	C	Screw, Captive Panel PAN	4	(65151706)
	D	Washer, Panel Screw Retainer	4	(65151806)
34		TERMINAL BOARD ASSEMBLY STA 25-48		H60321
	34.1	PWB Assy PAR+ Term BRD 25-48 (A)	1	(635124)
	Α	Plate, Terminal Strip, STE	1	(635217)
	В	Screw 6-32 X 3/8	5	(65010528)
	C	Screw, Captive Panel PAN	4	(65151706)
	D	Washer, Panel Screw Retainer	4	(65151806)
35		TERMINAL BOARD ASSEMBLY STA 49-72		H60361
	35.1	PWB Assy PAR+ Term Brd 49-72 (A)	1	(635560)
	Α	Plate, Terminal Strip, STE	1	(635217)
	В	Screw 6-32 X 3/8	5	(65010528)
	C	Screw, Captive Panel PAN	4	(65151706)
	D	Washer, Panel Screw Retainer	4	(65151806)

 $(A) \ \ Product is available through the \textit{Production \& Service Center (gsplabrequests@rainbird.com)}.$










Ref.	Part Description	Qty.	PAR+ES
19	HARNESS ASSY TERMINAL BOARD STA 1-24	1	(H60331)
20	HARNESS ASSY TERMINAL BOARD STA 25-48	1	(H60341)
21	HARNESS ASSY TERMINAL BOARD STA 49-72	1	(H60351)






Ref.		Part Description	Qty.	PAR+ES	PAR+ES (LINK)
22		POWER SUPPLY PAR+/MSC+		63522401	
23		POWER SUPPLY PAR+/MSC+ LINK			(63522402)
	1	Locknut Conduit	1(2)	(628013)	(628013)
	2	Box, XFMR, Steel	1	(635113)	(635113S)
	3	Cover, XFRM Steel	1	(635114)	(635114S)
	4	Label, PWR Supp.	1	(635154)	(635154)
	5	Switch, Voltage Selector	1	(633204)	(635204S)
	6	TRANSFORMER CONNECTOR ASSY	1	633252	633252
	7	TRANSFORMER CONNECTOR ASSY LINK	0(1)	633254	
	8	Label, Cover Steel XFMR	1	(635226)	(635226S)
	9	Washer, Flat 7/8" .090	1(2)	(65002343)	(65002343)
	10	Screw, SCFTPG, PNH, #8-18.375L	4	(65010441)	(65010441)
	11	Screw 4-40 3/8L PN HD	2	(65010515)	(65010515)
	12	Screw 8-32	2	(65010548)	(65010548)
	13	Terminal Block Double Row	1	(65149503)	(65149503)
	14	Terminal Block Double Row Male	1	(65149603)	(65149603)
	15	Switch, DPST, Rocker With (A)	1	(651503)	(651503)

(A) Product is available through the Production & Service Center (gsplabrequests@rainbird.com).



CONTROLLER ASSEMBLY WITH PEDESTAL (PAR+ES)






Ref.	Part Descripti	on	Qty.	PAR+ES
30	OUTPUT STATI	ON MODULE /W SW		HA0200
30.1	Shie	ld, Insul., U.L.94V0, OSM PWB	1	633852
30.2	Cove	Cover, Output Station Module		(63464402)
30.3	30.3 Screw, MACH PNH #6-32		2	(65048012)
30.4	Coni	nector, Terminal Block	1	(65103408)
30.5	Labe	el, Switch Positon	1	(634680)
30.6	PWB	Assy Output ST MOD (OSM) (A)	1	(63467701)
	P2	Ribbon Cable Assy PAR/MSC+	1	633245
	Р3	Cable, Value Power-PAR/MSC+	1	(633247)
	U2	SW Assy, OSM V01	1	634672
	C1, C3	Capacitor Ceramic Disc 0.1MF 50V	2	(65001345)
	CR-1-CR8	Diode IN4148	8	(65003701)
	R11-R18	Resistor 1/4W 10% 2.2K	8	(65007981)
	R19	Resistor 1/4W 10% 3.3K	1	(65007985)
	R1-R8	Resistor 1/4W 10% 4.7K	8	(65007989)
	R10	Resistor 1.4W 10% 5.6K	1	(65007991)
	R9	Resistor 1/4W 10% 22K	1	65008006
	Q1-Q8	Transistor, NPN 600MW PN2222	8	(650084)
	P4	Terminal Q.Disk Male	1	(650138)
	TP1	Terminal Test PT .067-078	1	(65033601)
	Q9	Transistor PNP 625 MW	1	(650369)
	C2	Capacitor Tantalum 22UFD 25V	1	(65058309)
	SW1-SW8	Sub-Miniature Toggle SWI	8	(651414)
	K1-K8	Relay, SPDT, Small 5A 9V	8	(65072503)
	P1	Header .100 CTR 16 CKT	1	(65087216)
	U1	IC 8 BIT Latch ADDR 74HC259 8 BIT	1	(650889)
	TB1	Socket, Horizontal 8 CRKT	1	(65090008)
	DS1-DS8	LED, Clear Red Super Bright	8	(650910)
	F1-F8	Fuse, Self Resetting, 1.85AMPS	8	(65112405)
	Y1	Resonator, Ceramic 10MHZ	1	(651445)
	LP1-LP8	MOV, 47 V, 1000A	8	(651467)

(A) Product is available through the Production & Service Center (gsplabrequests@rainbird.com).



CONTROLLER ASSEMBLY WITH PEDESTAL (PAR+ES)






Ref.	Part D	Description	Qty.	PAR+ES
26		/F MODULE, 2 - WIRE		H44500
26.1		Cover, MAXI I/F Module	1	(633207)
26.2		Cable, Harness Assy	1	634875
26.3		Connector, Terminal Block	1	(65103405)
26.4		Label, MAXI 2-Wire-Par/MSC+	1	(633668)
26.5		Screw, #4-40 X 1/4" PH	4	(65048001)
26.6		PWB Assy 2 Wire Interface Board (A)	1	(633243)
	LP2, PP5	Protector, Surge, Spark Gap	2	(624625)
	U3	S/W, MSC+/PAR+ 2W IFB V03	1	(633294)
	C1, C3	Capacitor CER Disc, 50V(MIN) 1PFTO8200	2	(65001215)
	C4, 5, 6, 7, 8	Capacitor CER 0.1MF 50V	4	(65001345)
	LP1, LP3, LP4	MOV 68Volts 500AMPS	3	(650016)
	CR1, CR5	Diode Zener 1N5237 8.2V	2	(65003812)
	C9	Capacitor 001UF 100V	1	(65004057)
	C10	Capacitor Elect AX 50V 47MF	1	(65004613)
	U5	IC MOC3011	1	(65007001)
	CR2, 3, 4	Diode 1N4002	3	(65007702)
	R2	Resistor 1/4W 10% 270 OHM	1	(65007959)
	R1, 9	Resistor 1/4W 10% 1.0K	2	(65007973)
	R3	Resistor 1/4W 10% 2.0K	1	(65007980)
	R8	Resistor 1/4W 10% 4.7K	1	(65007989)
	R4, 5, 7, 10	Resistor 1/4W 10% 47K	4	(65008014)
	R6	Resistor 1/4W 10% 100K	1	(65008022)
	JP1, JP2, (Y1)	Wire, 22AWG, A.I450 LD SP	2	(65062503)
	L1, L2	Inductor Ferrite	2	(65030005)
	(F1, F2)	Clip Fuse .197DIA PCB MNT	4	(650308)
	TP1	Terminal Test PT .067-078	1	(65033601)
	Q1	Rectifier 2N5062 Silicon	1	(650375)
	U6	IC, OPTO-Coupler HCPL-2731	1	(650445)
	(U3)	Socket IC Carrier 28PI	1	(65051802)
	U2	IC, Inverter 74HC14	1	(650540)
	C7	Capacitor 2.2UFD 25V Tantalum	1	(65058303)
	C2	Capacitor 22UFD 25V Tantalum	1	(65058309)
	U1	IC, 74HC373 3 State OCT Latch	1	(650611)
	Y1	Crystal, 11.0592 MHZ	1	(650721)
	P1	Header .100CTR, 10CKT, LO Profil	1	(65087210)
	TB1	Socket, HOrizontal 5 CRKT.	1	(65090005)
	F1, F2	Fuse, 5X20MM, Slow Blow 4 AMPS	2	(65096616)
	U4	IC, Microcontroller, 80C32	1	(651031)

(A) Product is available through the Production & Service Center (gsplabrequests@rainbird.com).

CONTROLLER ASSEMBLY WITH PEDESTAL (PAR+ES)








Ref.	Part Descript	ion	Qty.	PAR+ES
27	MAXI I/F MOD	ULE, LINK		H44550
27.1	Link Interface	Module	1	(634935)
27.2	Screw, #4-40 X	′ 1.4" PH	4	(65048001)
27.3	Label, Link Coi	nver, Field Instal	1	(633034)
27.4	Cover, Modifie	d, INTFC PWB, +Link	1	(633231)
27.5	Cable Harness	Assy	1	634875
27.6	PWB AssyLink	INTFC BRD-PAR/MSC (A)	1	(633280)
	S1	Switch, DIP, SP ST	1	(63101204)
	U3	Software Assy, INTFC-PAR LINK+	1	(63329302)
	C1, 3	Capacitor CER DISC, 50V(MIN) 1PFTO8200	2	(65001215)
	C4, 5, 6, 8, 12	Capacitor CER 0.1MF 50V	5	(65001345)
	LP1	MOV 33Volts 500AMPS	1	(650015)
	C11	Capacitor Elect AX 25V 47MF	1	(65004508)
	R5, 6, 7	Resistor 1/4W 10% 4.7K	3	(65007989)
	R1, 2, 3, 4	Resistor 1/4W 10% 47K	4	(65008014)
	(VR1)	Rivet Blind 1/8 X .328	1	(65013905)
	F1	Fuse 5 X 20MM 2AMPS	1	(65030703)
	(F1)	Clip Fuse .197DIA PCB MNT	2	(650308)
	(VR1)	Heatsink TO-220 HP	1	(650335)
	(U4)	Socket IC Carrier 28PI	1	(65051802)
	U1	IC, Inverter 74HC14	1	(650540)
	CR1	Bridge Rectifier, 200V 4AMP SIP	1	(65058103)
	C7	Capacitor 2.2UFD 25V Tantalum	1	(65058303)
	C2	Capacitor 22UFD 25V Tantalum	1	(65058309)
	J1	Connector	1	(65061005)
	U2	IC, 74HC373 3 State OCT Latch	1	(650611)
	(J1)	Jack Socket Kit	1	(650620)
	JP1	Wire, A.I.	1	(65062503)
	Y1	Crystal, 11.0592MHZ	1	(650721)
	U1	IC, 74LS367	1	(650776)
	P1	Header .100CTR, 10CKT, LO Profil	1	(65087210)
	J2	Header, St. SQ. PIN 2 POS.	1	(65089302)
	VR1	Voltage Regulator 8V, 7808	1	(650939)
	C9, 10	Capacitor Elect Axial 25V 3300MF	2	(650954)
	U4	IC, Microcontroller, 80C32	1	(651031)

 $⁽A) \ \textit{Product is available through the Production \& Service Center (gsplabrequests@rainbird.com)}.$








CONTROLLER ASSEMBLY WITH PEDESTAL (PAR+ES)




ption	Qty.	PAR+ES
ECT/PWR SUP SUB-ASSY PAR+ES	·	63322603
n PWB-PAR/MSC+	1	(633208)
. U.L.94-V0, P/I-PWB (A)	1	(633851)
Interface Assy (A)	1	(63551301)
ER 0.1MF 50V	6	(65001345)
s 500AMPS	1	(650015)
#5.010	1	(65002303)
18	4	(65003701)
N 10% 560 OHM	1	(65007967)
N 10% 4.7K	2	(65007989)
N 10% 5.6K	4	(65007991)
IPN 600MW PN2222	1	(650084)
(-5%, 1/4W, C Film	1	(65013597)
Disk Male	1	(650138)
/8 X .328	1	(65013905)
V 10% 2K	3	(65020280)
upler MCT6	1	(650253)
rite	1	(65030005)
NP 625 MW	1	(650369)
74HC14	1	(650540)
fier, 50V 4AMP SIP	1	(65058101)
2UFD 25V Tantalum	1	(65058309)
ppressor 18V	1	(65059522)
 CT Latch, 74HC373	2	(650611)
•	4	(65062503)
Small 5A 9V	1	(65072503)
5.0	1	(650733)
CTR, 10CKT, LO Profil	1	(65087210)
CTR 16 CKT	1	(65087216)
Profile 24 POS.	1	(65087224)
s 1000 AMPS	4	(650875)
SQ PIN 4 POS.	1	(65089304)
zontal 8 CRKT	1	(65090008)
low, 250V, 2.50A, 2AG	1	(65090510)
ed Super Bright	2	(650910)
ow Profile	1	(650950)
atic, High Perform	1	(651019)
ker, 6.00 AMPS	1	(65103222)
Profile R Angle	1	(65105005)
setting, 1.85AMPS		(65112405)
HC244		(651590)
sett	ing, 1.85AMPS	ing, 1.85AMPS 2

 $(A) \ \ Product is available through the \textit{Production \& Service Center (gsplabrequests@rainbird.com)}.$








Ref. Part Descrip	tion	Otv.	PAR+ES
37.3	ASSY WIRELESS MODEM		634433
C5	Cap RAD .33MFD 50V	1	(626408)
P2	Cable Assy. Combox	1	(632367)
C1, 3	Capacitor CER Disc, 50V(MIN) 1PFTO8200	2	(65001210)
C2, 4, 8	Capacitor CER 0.1MF 50V	3	(65001345)
CR1	Diode 1N4002	1	(65007702)
R15, 16	Resistor 1/4W 10% 470 OHM	2	(65007965)
R17, 18	Resistor 1/4W 10% 4.7 K	2	(65007989)
R5	Resistor 1/4W 10% 10 K	1	(65007997)
R3	Resistor 1/4W 10% 20 K	1	(65008005)
R1,2,7,10,11,13,14,19	Resistor 1/4W 10% 47 K	8	(65008014)
R6	Resistor 1/4W 10% 56 K	1	(65008016)
R4	Resistor 1/4W 10% 100 K	1	(65008022)
(U1)	Socket, Dip, Low Profile 16 Pins	1	(65008103)
Q1, Q2	Transistor, NPN 600MW PN2222	2	(650084)
U2	IC, Inverter 74HC14	1	(650540)
C7	Capacitor 2.2UFD 25V Tantalum	1	(65058303)
C6	Capacitor 22UFD 25V Tantalum	1	65058309
VR1	Transient Suppressor 18V	1	65059522
(CR2)	Wire, A.I.	1	(65062503)
R12	POT, 10K OHM 1/4" Single Turn	1	(65073910)
Y1	Crystal, 3.579545 MHZ	1	(650759)
DS1, 2	Led, Clear Red Super Bright	2	(650910)
U3	IC Quad 2-input EX-OR	1	(650937)
VR2	Voltage Regulator	1	650938
P1	Connector Plug Right Angle PC	1	(65113002)
U1	IC, M X 614 1200 BPS	1	651141










Ref.	Part Description	Qtv.	PAR+ES(LINK)	PAR+ES(TWO WIRE)
47	DIB BRACKET ASSY	1	(63586701)	
47	DIB BRACKET ASSY	1		(63586702)
47.1	Plate, DIB Mount, Steel	1	(636078)	(636078)
47.2	Label, Two Wire Terminal Block	(0)1		(635228)
47.3	Screw 6-32 X 3/8	2		(65010528)
47.4	Jumper 2 Position	2		(651516)
47.5	Terminal Block (4 Circu)	1		(651501S)
47.6	6 Rivet Blink	4	(65042213)	(65042213)
47.7	7 Lug, Single Barrel, Coper, Two HL	1	(650892)	(650892)
47.8	B Label, Ground Symbol (IEC-509)	1	(651037)	(651037)
47.9	Lug, Single Barrel, Copper Two	1	(65135002)	(65135002)
47.1	10 Stud Phillips, Oval Steel	4	(651511)	(651511)
47.1	11 Retainer, Black Nylon	4	(651512)	(651512)
47.1	12 Washer, Flat #10 .032	4	(65002313)	(65002313)
47.1	13 Screw, #8-32 X 3/8" PHIL	4	(65048027)	(65048027)
48	DECODER INTERFACE BOARD (DIB)	1	636104	636104\$
















Ref.	Part Description		Otv.	P/N
INTEGR	ATED CONTROL INTERFACE (ICI)			
1	ICI 750/1500 (1 Driver Board)	120 VAC	1	HS6000
1	ICI 2250/3000 (2 Driver Boards)	120VAC	1	HS6030
1	ICI 750/1500 (1 Driver Board)	230 VAC	1	HS6050
1	ICI 2250/3000 (2 Driver Boards)	230VAC	1	HS6060
1	ICI 750/1500 (1 Driver Board)	100VAC	1	HS6070
CPU BC	DARD			
2	ICI CPU BOARD		1	213045S
DRIVER	BOARD			
3	ICI DRIVER BOARD 2WP		1/2	213046S
FUSE B	OARD			
4	ICI FUSE BOARD (AII)		1	-638010
KEYS				
5	ICI KEY (No. CH751)		2	-






Ref. Part Description	Qtv.	P/N
MAXI REMOTE LOCATION KIT		HA1000
1 SPREAD SPECTRUM RADIO	2	HA1100
2 TRANSFORMER	2	-
3B NULL MODEM	1	-
3A RS232 INTERFACE CABLE	2	-
4 COAXIAL CABLE	4	-635089
5 YAGI DIRECTIONAL ANTENNA	2	(635090-01)
6 POLY PHASER	2	-635088










<u>Ref.</u>	Part Description	Otv.	P/N
The F	REEDOM SYSTEM™ STANDARD FREQUENCY		HA1000
Tx: 4	152.1875 Rx: 457.1875		
-	SPECIAL FREQUENCY (450 – 470 MHz) – CANADA ONLY	-	H59504
1	NARROWBAND SYNTHESIZED REPEATER	1	FRX-452
2	AUTOPATCH	1	RP-200
3	COMPUTER CABLE	1	FP-2PC
4	RG-8/N COAXIAL CABLE	2	RAC-02NN
5	2.5 DB ANTENNA	1	ROA-SS
6	HANDHELD WITH DTMF*	1	FTX-454
7	QUICK-RATE CHARGER*	1	FCP-FS
8	POLYPHASER SURGE PROTECTOR	1	HA1100

Note: Requires complete Site Survey and FCC License or Notice of Coordination before $shipping.\ Distributor\ wil\ l\ be\ responsible\ for\ FCC\ l\ icense\ fees\ for\ FREEDOM\ system.$

^{*} Not included with Canadian version of the FREEDOM system.






Ref.	Part Description	Otv.	1"	11/4"	1 ¹ /2"
1	Outlet (NPT)	1	21187001	21187801	21186601
2	Outlet (BSP)	1	21187002	(21187802)	(21186602)
3	Outlet (ACME)*	1	212008	212014	212020
4	Enlarging Outlet (NPT)	1	(21187101)	(21187901)	N/A
5	Enlarging Outlet (BSP)	1	(21187102)	(21187902)	N/A
6	Enlarging Outlet (ACME)*	1	212009	212015	N/A
7	O-Ring, Outlet Seal (ACME)	1	21187201	21187204	21187207
8	O-Ring, Internal (Front) Seal	3	21187202	21187205	21187208
9	O-Ring, Internal (Back) Seal	3	21187203	21187206	21187209
10	Layarm 8"*	1	_	_	_
-	12"*	1	_	_	_
-	18"*	1	_	_	_
11	Internal Elbow	1	212007	212013	212019
12	Socket Inlet	1	(21186703)	(21187503)	(21186303)
13	Spigot Inlet	1	21186704	21187504	(21186304)
14	Metric Spigot Inlet	1	(21186705)	(21187505)	(21186305)
15	Inlet (NPT)	1	21186701	21187501	21186301
16	Inlet (BSP)	1	(21186702)	(21187502)	(21186302)
17	Gasketed - Service Tee 2"	1	_	_	_
18	Gasketed - Service Tee 2.5"	1	_	_	_

^{*} Includes o-ring(s)






Ref.	Part Description	Otv.	1"	11/4"	1 ¹ /2"
1	Outlet (NPT)	1	21187001	21187801	21186601
2	Outlet (BSP)	1	21187002	(21187802)	(21186602)
3	Outlet (ACME)*	1	212008	212014	212020
4	Enlarging Outlet (NPT)	1	(21187101)	21187901	N/A
5	Enlarging Outlet (BSP)	1	(21187102)	(21187902)	N/A
6	Enlarging Outlet (ACME)*	1	212009	212015	N/A
7	O-Ring, Outlet Seal (ACME)	1	21187201	21187204	21187207
8	O-Ring, Internal (Front) Seal	2	21187202	21187205	21187208
9	O-Ring, Internal (Back) Seal	2	21187203	21187206	21187209
10	Layarm 8"*	1	_	_	_
_	12"*	1	_	_	_
-	18"*	1	_	_	_

^{*} Includes o-ring(s)




TRIPLE TOP SWING JOINT ASSEMBLY



^{*} Includes o-ring(s)







Ref.	Part Description	Qtv.	1"	11/4"	11/2"
1	Outlet (NPT)	1	21187001	21187801	21186601
2	Outlet (BSP)	1	21187002	(21187802)	(21186602)
3	Outlet (ACME)*	2	212008	212014	212020
4	Enlarging Outlet (NPT)	1	(21187101)	(21187901)	N/A
5	Enlarging Outlet (BSP)	1	(21187102)	(21187902)	N/A
6	Enlarging Outlet (ACME)*	1	212009	212015	N/A
7	O-Ring, Outlet Seal (ACME)	1	21187201	21187204	21187207
8	O-Ring, Internal (Front) Seal	4	21187202	21187205	21187208
9	O-Ring, Internal (Back) Seal	4	21187203	21187206	21187209
10	Internal Elbow*	2	212007	212013	212019
11	Layarm 8"*	1	_	_	_
_	12"*	1	_	_	_
-	18"*	1	_	_	_


^{*} Includes o-ring(s)











Ref.	Description	Part Number
1	DR-SVK-18", Selector Valve Key	D02221
2	DR-SVK-7", Selector Valve Key	D02215
3	Snap Ring Pliers 500/550 700/750	D02236
4	Valve Insertion Tool 500/550 700/750	B41710
5	Valve Insertion Tool 900/950	B41730
6	Selector Service Tool/Key - EAGLE/DR (Orange Too	a) B41720
7	Installation Socket for Top Serviceable Rock Se	creen D02237





Rain Bird Corporation

6991 East Southpoint Road Tucson, AZ 85706 Phone: (800) 282-1933

® Registered trademark of Rain Bird Corporation © 2019 Rain Bird Corporation 8/19